



Beamever

DESIGNER'S CUSTOM PLAYGROUND

www.beameverusa.com

SPEC-READY

At Beamever, we engineer flexible neon and linear lighting systems for detail-driven projects.

Spec-grade color consistency, clean integration, and custom options that streamline the design process.

From project conceptualization to closeout, we help teams keep the line continuous — and the process simple.

Let's make your next project seamless.



COCKTAIL BAR | DE FORTUNE

Products Featured:

LINIO NEON I220 SV | AERO TAPE WET X | AERO TAPE | ALTA TAPE | LINIO NEON EOS TV



 Houston, TX

BEAMEVER IS... EASY TO SPECIFY



BESPOKE DESIGN SUPPORT

Project-specific configurations & factory-tailored modifications — ensuring a perfect fit for unique spaces and complex architectural details.



IN-HOUSE PRODUCT DESIGN AND MANUFACTURE

We design all products in-house and manufacture at our solely-owned facilities.



SPEC-GRADE OPTIONS

Well-structured options where they matter — lengths, outputs, and CCTs — so selection stays straightforward.



COMPREHENSIVE SUBMITTALS

Cut sheets & drawings that slot right into your submittal package — clean, complete specs, install notes, and details every time.



PRECISION-FITTED LINE

Dot-free light, perfect color consistency & steady output — engineered to bring life to spaces & architecture.



INSTALLATION-FRIENDLY DETAILS

Field-cuttable lighting, practical leads, solder-free end caps & all mounting options — engineered to minimize delays and keep installations on track.

FOUR WAYS WE SHAPE LIGHT

3D CURVES & FINISHES



LOUNGE & DINING | DE FORTUNE

ARCUS Family

A 3D neon system engineered for versatile curves and seamless finishes. Our Combo Free-cut lets you add the final segment for a perfect fit.

FREE-CUT SOLUTION



ORLUX Family

Cut to exact length on-site — no guesswork, no dark gaps. Extended runs (up to 39ft/12m) keep layouts clean with fewer feeds and joints.


BUILT FOR DEMANDING CONDITIONS (IP68 · IK10)



LINIO NEON 1617 HE Series

When energy targets and regulations drive the conversation, choose LINIO NEON 1617 HE. High efficacy to 102 lm/W and light output of 451 lm/ft help you meet performance goals with confidence.

COMPACT LIGHTING SOLUTIONS




LINIO NEON EOS Series

Ultra-slim, pre-diffused linear lighting (down to 0.17" depth) for cove, cabinet, and accent applications.

PRODUCT SELECTION MAPS

FOR NEON SERIES

Organized by application scale and environment — from compact indoor details to large architectural & outdoor projects. Covers high-efficiency, free-cut, and long-run capabilities, plus full IP ratings.



BY SIZE AND APPLICATION

Large & Medium

Architectural / Interior Design

Museum, Auditorium, Gym, with demanding quality requirements




ARCUS 3D SERIES

22-40K, optional 1-step binning, excellent TM-30

High Efficacy

Façade lighting



LINIO NEON HE SERIES

22-57K, high efficacy to 102 lm/W & light out of 451 lm/ft, 1481 lm/m

Free-Cut Continuity



ORLUX SERIES

22-40K, Field-cut anywhere

Outdoor & High Ik & Long Run



LINIO NEON 1617/1010 SERIES

22-40K, TW / RGBW / Pixel, IK approved, Max run up to 91.8ft (28m)

Small

Minimalistic / Indoor



LINIO NEON 0306X SV

22-40K



ORLUX SMALL SERIES

22-40K, Free-cut




LINIO NEON 0408X SV

22-40K, TW



LINIO NEON 0612X SV

22-40K



LINIO NEON 0606X SERIES

22-40K

Cove, Cabinet And Accent Lighting












LINIO NEON EOS SERIES

22-57K, TW, RGB, RGBW, Pixel, ultra-slim, pre-diffused linear lighting solution

PRODUCT SELECTION MAPS

FOR LED TAPE STATIC WHITE SERIES

IP RATING	130-360 lm/ft (400-1200 lm/m)	360-450 lm/ft (1200-1480 lm/m)		
<p>IP67 OUTDOOR</p>			<div data-bbox="1161 404 1509 553"></div> <p data-bbox="1161 566 1509 626">ANNO TAPE WET X ☀️ 380lm/ft @4.57W/ft 1230lm/m @15W/m</p> <div data-bbox="1539 404 1887 553"></div> <p data-bbox="1539 566 1887 626">AERO TAPE LONG RUN WET X ☀️ 415lm/ft @4.57W/ft 1362lm/m @15W/m</p>	
<p>IP65 DAMP</p>	<div data-bbox="373 695 722 844"></div> <p data-bbox="373 857 722 917">AERO TAPE SAUNA ☀️ 353lm/ft @2.93W/ft 1158lm/m @9.6W/m</p>	<div data-bbox="1161 695 1509 844"></div> <p data-bbox="1161 857 1509 917">AERO TAPE LONG RUN WET ☀️ 424lm/ft @4.57W/ft 1391lm/m @15W/m</p>	<div data-bbox="1539 695 1887 844"></div> <p data-bbox="1539 857 1887 917">ANNO TAPE WET ☀️ 412lm/ft @4.57W/ft 1350lm/m @15W/m</p>	
<p>IP20 INDOOR / DRY</p>	<div data-bbox="373 967 722 1117"></div> <p data-bbox="373 1130 722 1190">ANNO TAPE S ☀️ 137lm/ft @1.52W/ft 450lm/m @5W/m</p>	<div data-bbox="751 967 1100 1117"></div> <p data-bbox="751 1130 1100 1190">ANNO TAPE LONG RUN ☀️ 160lm/ft @2.13W/ft 525lm/m @7W/m</p>	<div data-bbox="1161 967 1509 1117"></div> <p data-bbox="1161 1130 1509 1190">ANNO TAPE PRO ☀️ 395lm/ft @4.57W/ft 1300lm/m @15W/m</p>	<div data-bbox="1539 967 1887 1117"></div> <p data-bbox="1539 1130 1887 1190">AERO TAPE TRUE ☀️ 375lm/ft @4.57W/ft 1230lm/m @15W/m</p>
<div data-bbox="373 1219 722 1369"></div> <p data-bbox="373 1382 722 1442">ANNO TAPE FREE-CUT ☀️ 168lm/ft @3.05W/ft 550lm/m @10W/m</p>		<div data-bbox="1161 1219 1509 1369"></div> <p data-bbox="1161 1382 1509 1442">AERO TAPE FREE-CUT ☀️ 392lm/ft @4.27W/ft 1287lm/m @14W/m</p>	<div data-bbox="1539 1219 1887 1369"></div> <p data-bbox="1539 1382 1887 1442">AERO TAPE LONG RUN ☀️ 446lm/ft @4.57W/ft 1464lm/m @15W/m</p>	

IP RATING	450-600 lm/ft (1480-2000 lm/m)	600+ lm/ft (2000+ lm/m)		
IP67 OUTDOOR	 <p>AERO TAPE WET X ☀️ 497lm/ft @7.32W/ft 1630lm/m @24W/m</p>	 <p>AERO TAPE HD WET X ☀️ 645lm/ft @7.32W/ft 2115lm/m @24W/m</p>		
IP65 DAMP	 <p>AERO TAPE WET ☀️ 530lm/ft @7.32W/ft 1740lm/m @24W/m</p>	 <p>AERO TAPE HD WET ☀️ 659lm/ft @7.32W/ft 2161lm/m @24W/m</p>		
IP20 INDOOR / DRY	 <p>ANNO TAPE ☀️ 450lm/ft @4.57W/ft 1480lm/m @15W/m</p>	 <p>AERO TAPE ☀️ 573lm/ft @7.32W/ft 1875lm/m @24W/m</p>	 <p>AERO TAPE HD ☀️ 693lm/ft @7.32W/ft 2275lm/m @24W/m</p>	 <p>ALTA TAPE ☀️ 815lm/ft @5.85W/ft 2674lm/m @19.2W/m</p>
		 <p>ALTA TAPE ULTRA ☀️ 1116lm/ft @8.54W/ft 3661lm/m @28W/m</p>		

PRODUCT SELECTION MAPS

FLEX NEON DYNAMIC COLOR SERIES


TUNABLE WHITE / DIM TO WARM



LINIO NEON 0408X SV TW / DTW




LINIO NEON 0612X SV TW / DTW



LINIO NEON 1010X TV TW / DTW




LINIO NEON 360° TW / DTW




LINIO NEON EOS TV HE TW / DTW


RGB / RGBW / RGBWW



LINIO NEON 1617 RGB / RGBW / RGBWW




LINIO NEON 360° RGB / RGBW



LINIO NEON EOS TV RGB / RGBWW

PIXEL RGB/RGBW (Addressable)



LINIO NEON 1617 PIXEL RGBW



LINIO NEON EOS TV PIXEL RGBW

TAPE DYNAMIC COLOR SERIES

TUNABLE WHITE / DIM TO WARM




AERO TAPE TW / DTW



ANNO TAPE DTW / TW




ANNO TAPE S TW / DTW



ANNO TAPE TW / DTW



AERO TAPE HD TW / DTW



ANNO TAPE SV TW / DTW



ANNO TAPE FREE CUT TW / DTW

RGB / RGBW / RGBWW



ANNO TAPE PRO RGB / RGBW / RGBWW



BELA TAPE RGB / RGBW / RGBWW

PIXEL RGB/RGBW
(Addressable)



BELA TAPE PIXEL RGBW





ANNO TAPE PIXEL RGB

EXTRUSIONS & PROFILES




LARGE NEON CHANNELS & EXTRUSIONS



Straight Surface Channel



Bendable Surface Channel




Straight Recessed Channel




Spring Clip (Installed with straight recessed channel)



Mud-in Bendable Channel




Mud-in Channel



Light-block channel



Straight Surface Channel With Silicone Groove





EXTRUSIONS & PROFILES



EOS SERIES CHANNELS & EXTRUSIONS




45° Recessed Kicker Channel




45° Triangular Surface Channel




Straight Surface Channel




Straight Recessed Channel



Light-block Channel



Bendable Surface Channel



Deep Recessed Channel




POWER SUPPLY & CONTROLLER

Beamever's high-performance power supplies and controllers.

Engineered for seamless performance, our integrated drivers and control modules deliver smooth, flicker-free dimming and precise command.

From robust power delivery to sophisticated DMX & SPI pixel control, we enable effortless integration across all major protocols and installation environments.

POWER SUPPLY



KVD Series
0-10V Dimming



KVG Series
Triac/0-10V Dimming



KVD Series
DMX512 Dimming




KVF Series
Phase cut/Triac Dimming




L-Tech LED Driver



KV Series
Non Dimming




CONTROLLER




Nicolaudie NATOUCH-1



Nicolaudie DIN Rail



Nicolaudie Stick CW4



Nicolaudie Stick GA2

COMPREHENSIVE SUBMITTAL PACKAGE

OUR STREAMLINED WORKFLOW

A collaborative process built for clarity & speed: from project drawings to final sign-off.

- **FEWER RFIS**


Detailed wiring & connection layouts — full clarity for installers.

- **FASTER APPROVALS**

Comprehensive spec sheets+relevant diagrams — no missing project details, faster sign-off.

- **CLEANER COORDINATION**

Drivers, circuits, and voltage-drop details documented upfront.



PROJECT GALLERY



GRIFFITH REMODEL AND PASEO

 Austin, TX

Architect: McKinney York Architects

Engineering: Structures, PE, LLP


Products Featured: ANNO TAPE WET X + BE1002 Aluminum Channel



UNIVERSAL P210

Products Featured: LINIO NEON 360°

📍 Florida, US



PRIVATE RESIDENCE

📍 Longmont, CO

Architect: Nathan Pillatzke

Products Featured:

ANNO TAPE + BE1202 Aluminum Channel





WALDORF ASTORIA – MURU RESTAURANT

Products Featured: LINIO NEON 1615 3D | AERO TAPE

📍 West Bay, Doha, Qatar



GULF SHORES HIGH SCHOOL

Designer: DLR Group

Products Featured: LINIO NEON EOS TV HE | LINIO NEON 1010X TV

📍 Gulf Shores, AL



BEAMEVER

Beamever Inc.

100 N Howard St Ste R.

Spokane, WA 99201

Email: sales@beamever.com

Web: www.beameverusa.com

Copyright © 2026-2027 Beamever Inc. All Rights reserved



Follow us on LinkedIn