



PRO PROFILE SURFACE BEO78



ACCESSORIES




Plastic End Cap




Metal Clip

TECHNICAL DRAWING




LED TAPES

WHITE



Ref: NOVA TAPE S

TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE S TW

TECHNICAL DATA



Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP078	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC078	Dimension (W*H)	7.8*8.9mm/0.30"*0.35"
Plastic End Cap	/	BE-PEC078	Max Flex Width	5.4mm/0.21"
Metal Clip	/	BE-MC078	Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.


PRO PROFILE SURFACE BEIO13



ACCESSORIES




Plastic End Cap




Metal Clip

TECHNICAL DRAWING




LED TAPES

WHITE



Ref: NOVA TAPE S

TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE S TW

TECHNICAL DATA



Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP1013	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC1013	Dimension (W*H)	10*13mm/0.39"*0.51"
Plastic End Cap	/	BE-PEC1013	Max Flex Width	8.6mm/0.34"
Metal Clip	/	BE-MC1013	Pitch for Diffusion	264LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

PRO PROFILE SURFACE BE1610



ACCESSORIES




Plastic End Cap



Metal Clip

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP1610	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC1610	Dimension (W*H)	16*8.6mm/0.62"*0.34"
Plastic End Cap	/	BE-PEC1610	Max Flex Width	13.1mm/0.51"
Metal Clip	/	BE-MC1610	Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.


Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

For IP65

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE



Ref: AERO TAPE HD



Ref: ALTA TAPE




Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20



Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE1302



ACCESSORIES



Plastic End Cap




Metal Clip



Plastic Clip

TECHNICAL DRAWING



TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP1302
Opal PC Cover	PC	BE-PC1302
Opal PMMA Cover	PMMA	BE-PM1302
Plastic End Cap	/	BE-PEC1302
Metal Clip	/	BE-MC1302

Length	2m/6.56ft
Dimension (W*H)	17.3*13.4mm/0.67"*0.52"
Max Flex Width	12.5mm/0.49"
Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE1202



ACCESSORIES



Plastic End Cap



Adjustable Angle Clips




Plastic Clip



Metal Clip

TECHNICAL DRAWING



TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP1202
Opal PC Cover	PC	BE-PC1202
Plastic End Cap	PC	BE-PEC1202
Clip	Steel/Plastic	BE-MC1202

Length	1m/3.28ft
Dimension (W*H)	14.5*14.5mm/0.57"*0.57"
Max Flex Width	12.5mm/0.49"
Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE



Ref: AERO TAPE HD



Ref: ALTA TAPE




Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20



Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE1303



ACCESSORIES



Plastic End Cap




Metal Clip



Plastic Clip

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP1303	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC1303	Dimension (W*H)	17.3*13.4mm/0.67"*0.52"
Opal PMMA Cover	PMMA	BE-PM1303	Max Flex Width	12.5mm/0.49"
Plastic End Cap	/	BE-PEC1303	Pitch for Diffusion	180LED/m
Metal Clip	/	BE-MC1303		

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE




Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE2020



ACCESSORIES



Plastic End Cap




Metal Clip



Suspend Accessories

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP2020	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC2020	Dimension (W*H)	20.25mm/0.79"
Plastic End Cap	/	BE-PEC2020	Max Flex Width	12.15mm/0.47"
Metal Clip	/	BE-MC2020	Pitch for Diffusion	180LED/m
Suspended Wire	/	BE-SW2020		

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP54

RGB / RGBW




Ref: NOVA TAPE RGB


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW




Ref: AERO TAPE TW

PRO PROFILE SURFACE BEI601




ACCESSORIES



Plastic End Cap

TECHNICAL DRAWING



TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP1601
Opal PC Cover	PC	BE-PC1601
Plastic End Cap	/	BE-PEC1601

Length	2m/6.56ft
Dimension (W*H)	19.5*20.2mm/0.76"*0.79"
Max Flex Width	17mm/0.66"
Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BEIOOI



ACCESSORIES



Plastic End Cap




Metal Clip



Plastic Clip

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP1001	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC1001	Dimension (W*H)	16*16mm/0.62"*0.62"
Plastic End Cap	/	BE-PEC1001	Max Flex Width	10.5mm/0.41"
Metal Clip	/	BE-MC1001	Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54




Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65

RGB / RGBW




Ref: NOVA TAPE RGB


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE1002



ACCESSORIES



Plastic End Cap




Metal Clip



Plastic Clip

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP1002	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC1002	Dimension (W*H)	16*16mm/0.62"*0.62"
Plastic End Cap	/	BE-PEC1002	Max Flex Width	10.5mm/0.41"
Metal Clip	/	BE-MC1002	Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54




Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65

RGB / RGBW




Ref: NOVA TAPE RGB


TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE1203



ACCESSORIES



Plastic End Cap




Metal Clip



Plastic Clip

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP1203	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC1203	Dimension (W*H)	18.1*18.1mm/0.71"*0.71"
Plastic End Cap	/	BE-PEC1203	Max Flex Width	12.5mm/0.49"
Metal Clip	/	BE-MC1203	Pitch for Diffusion	180LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE




Ref: NOVA TAPE




Ref: NOVA TAPE S




Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BEI602




ACCESSORIES



Plastic End Cap

TECHNICAL DRAWING



TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP1602
Opal PC Cover	PC	BE-PC1602
Plastic End Cap	/	BE-PEC1602

Length	2m/6.56ft
Dimension (W*H)	19.5*20.2mm/0.76"*0.79"
Max Flex Width	17mm/0.66"
Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BEI305



ACCESSORIES




Plastic End Cap



Metal Clip

TECHNICAL DRAWING



TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP1305
Opal PMMA Cover	PMMA	BE-PC1305
Plastic End Cap	/	BE-PEC1305
Metal Clip	/	BE-MC1305

Length	2m/6.56ft
Dimension (W*H)	19.3*16.8mm/0.75"*0.66"
Max Flex Width	16.1mm/0.63"
Pitch for Diffusion	240LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
 Standard is 1m/3.28ft per piece, other lengths can be customized.
 Maximum: 2m/6.56ft per piece.
 Beam angle 30°

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE2002




ACCESSORIES



Plastic End Cap




Metal Clip



Plastic Clip

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP2002	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC2002	Dimension (W*H)	23.5*9.75mm/0.92"*0.38"
Plastic End Cap	/	BE-PEC2002	Max Flex Width	20.7mm/0.81"
Metal Clip	/	BE-MC2002	Pitch for Diffusion	240LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE2003



ACCESSORIES



Plastic End Cap




Plastic Clip



Suspended Accessories

TECHNICAL DRAWING



TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP2003
Opal PC Cover	PC	BE-PC2003
Plastic End Cap	/	BE-PEC2003
Plastic Clip	/	BE-PCL2003
Suspended Wire	/	BE-SW2003

Length	2m/6.56ft
Dimension (W*H)	30*30mm/1.17"*1.17"
Max Flex Width	20.55mm/0.80"
Pitch for Diffusion	120LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE



Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE2004



ACCESSORIES



Plastic End Cap




Plastic Clip



Suspend Accessories




180° Joint Accessories



90° Outer Corner Accessories

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP2004
Opal PC Cover	PC	BE-PC2004
Plastic End Cap	/	BE-PEC2004
Plastic Clip	/	BE-PCL2004
Suspended Wire	/	BE-SW2004

Length	2m/6.56ft
Dimension (W*H)	29.7*29.7mm/1.16"*1.16"
Max Flex Width	20.55mm/0.80"
Pitch for Diffusion	120LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE




Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW




Ref: AERO TAPE TW

PRO PROFILE SURFACE BE3535



ACCESSORIES



Plastic End Cap



Metal Clip



Suspend Accessories



90° Joint Accessories




T Shape Connector



Cross Shape Connector

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP3535
Opal PC Cover	PC	BE-PC3535
Metal End Cap	/	BE-MEC3535
Metal Clip	/	BE-MC3535
Suspended Wire	/	BE-SW3535

Length	2m/6.56ft
Dimension (W*H)	35*35mm/1.37"*1.37"
Max Flex Width	25.9mm/1.01"
Pitch for Diffusion	120LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.


Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW




Ref: AERO TAPE TW

PRO PROFILE SURFACE BE6728




ACCESSORIES



Plastic End Cap

TECHNICAL DRAWING



TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP6728
Opal PC Cover	PC	BE-PC6728
Plastic End Cap	/	BE-PEC6728

Length	2m/6.56ft
Dimension (W*H)	66.35*26.9mm/2.59"*1.05"
Max Flex Width	12mm/0.47"
Pitch for Diffusion	240LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE



Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP54

RGB / RGBW




Ref: NOVA TAPE RGB


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW




Ref: AERO TAPE TW

PRO PROFILE SURFACE BE6916



ACCESSORIES




Metal End Cap



Spring Clip

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP6916	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC6916	Dimension (W*H)	26.2*78.5mm/1.02"*3.06"
Metal End Cap	/	BE-MEC6916	Max Flex Width	12.4mm/0.48"
Spring Clip	/	BE-SC6916	Pitch for Diffusion	240LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE



Ref: AERO TAPE HD



Ref: ALTA TAPE




Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20



Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BEIO15



ACCESSORIES




Plastic End Cap




Plastic Clip

TECHNICAL DRAWING




LED TAPES

WHITE



Ref: NOVA TAPE S

TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE S TW

TECHNICAL DATA



Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP1015	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC1015	Dimension (W*H)	10*15mm/0.39"*0.59"
Plastic End Cap	/	BE-PEC1015	Max Flex Width	8.1mm/0.32"
Metal Clip	/	BE-MC1015	Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

PRO PROFILE SURFACE BEI604



ACCESSORIES



Plastic End Cap




Plastic Clip



Suspend Accessories

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP1604
Opal PC Cover	PC	BE-PC1604
Plastic End Cap	/	BE-PEC1604
Metal Clip	/	BE-MC1604
Suspended Wire	/	BE-SW1604

Length	2m/6.56ft
Dimension (W*H)	20.3*27mm/0.79"*1.05"
Max Flex Width	17.1mm/0.67"
Pitch for Diffusion	120LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE




Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BEI603



ACCESSORIES



Plastic End Cap




Plastic Clip



Suspend Accessories

TECHNICAL DRAWING



TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP1603
Opal PC Cover	PC	BE-PC1603
Plastic End Cap	/	BE-PEC1603
Metal Clip	/	BE-MC1603
Suspended Wire	/	BE-SW1603

Length	2m/6.56ft
Dimension (W*H)	20.3*27mm/0.79"*1.05"
Max Flex Width	17.1mm/0.67"
Pitch for Diffusion	120LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE



Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE2007



ACCESSORIES



Metal End Cap




Spring Clip



Plastic Clip

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP2007	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC2007	Dimension (W*H)	23.5*20.49mm/0.92"*0.80"
Plastic End Cap	/	BE-PEC2007	Max Flex Width	20.2mm/0.79"
Metal Clip	/	BE-MC2007	Pitch for Diffusion	120LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE1304




ACCESSORIES



Plastic End Cap

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP1304	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC1304	Dimension (W*H)	19.5*14mm/0.76"*0.55"
Opal PMMA Cover	/	BE-PM1304	Max Flex Width	17mm/0.66"
Plastic End Cap	/	BE-PEC1304	Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE




Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW




Ref: AERO TAPE TW

PRO PROFILE SURFACE BEOI-I



ACCESSORIES



Metal End Cap



Spring Clip



Plastic Clip




Plastic Clip



Suspend Accessories

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP01-1
Opal PC Cover	PC	BE-PC01-1
Plastic End Cap	/	BE-PEC01-1
Metal Clip	/	BE-MC01-1
Suspended Wire	/	BE-SW01-1

Length	2m/6.56ft
Dimension (W*H)	19.1*15mm/0.74"*0.59"
Max Flex Width	13.9mm/0.54"
Pitch for Diffusion	180LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.


Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BEOI



ACCESSORIES



Metal End Cap



Spring Clip



Plastic Clip




Plastic Clip



Suspended Wire

TECHNICAL DRAWING



TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP01
Opal PC Cover	PC	BE-PC01
Plastic End Cap	/	BE-PEC01
Metal Clip	/	BE-MC01
Suspended Wire	/	BE-SW01

Length	2m/6.56ft
Dimension (W*H)	18.58*15mm/0.72"*0.59"
Max Flex Width	13.9mm/0.54"
Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE2831



ACCESSORIES



Plastic End Cap




Metal Clip



Suspend Accessories

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP2831	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC2831	Dimension (W*H)	28*31.1mm/1.09"*1.21"
Plastic End Cap	/	BE-PEC2831	Max Flex Width	23mm/0.90"
Metal Clip	/	BE-MC2831	Pitch for Diffusion	180LED/m
Suspended Wire	/	BE-SW2831		

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE



Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE2019



ACCESSORIES




Plastic End Cap



Metal Clip

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP2019	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC2019	Dimension (W*H)	19.8*20.8mm/0.77"*0.81"
Plastic End Cap	/	BE-PEC2019	Max Flex Width	17.2mm/0.67"
Metal Clip	/	BE-MC2019	Pitch for Diffusion	240LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54




Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW


PRO PROFILE SURFACE BE2401



ACCESSORIES



Plastic End Cap




Metal Clip



Suspend Accessories

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP2401
Opal PC Cover	PC	BE-PC2401
Plastic End Cap	/	BE-PEC2401
Metal Clip	/	BE-MC2401
Spring Clip	/	BE-SC2401

Length	2m/6.56ft
Dimension (W*H)	26.1*23.1mm/1.02"*0.90"
Max Flex Width	23.75mm/0.93"
Pitch for Diffusion	120LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW


PRO PROFILE SURFACE BE2402



ACCESSORIES



Plastic End Cap




Metal Clip



Suspend Accessories

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP2402
Opal PC Cover	PC	BE-PC2402
Plastic End Cap	/	BE-PEC2402
Metal Clip	/	BE-MC2402
Spring Clip	/	BE-SC2402

Length	2m/6.56ft
Dimension (W*H)	26.1*23.1mm/1.02"*0.90"
Max Flex Width	23.75mm/0.93"
Pitch for Diffusion	120LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE




Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE5036



ACCESSORIES



Plastic End Cap




Metal Clip



Suspend Accessories

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP5036
Opal PC Cover	PC	BE-PC5036
Metal End Cap	/	BE-MEC5036
Metal Clip	/	BE-MC5036
Suspended Wire	/	BE-SW5036

Length	2m/6.56ft
Dimension (W*H)	50*35mm/1.95"*1.37"
Max Flex Width	40.9mm/1.60"
Pitch for Diffusion	120LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE5550



ACCESSORIES



Metal End Cap




Metal Clip



Suspend Accessories

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP5550
Opal PC Cover	PC	BE-PC5550
Metal End Cap	/	BE-MEC5550
Metal Clip	/	BE-MC5550
Suspended Wire	/	BE-SW5550

Length	2m/6.56ft
Dimension (W*H)	55*50mm/2.15"*1.95"
Max Flex Width	44mm/1.72"
Pitch for Diffusion	60LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.


Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW


PRO PROFILE SURFACE BE7635



ACCESSORIES



Metal End Cap




Metal Clip



Suspend Accessories

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP7635
Opal PC Cover	PC	BE-PC7635
Metal End Cap	/	BE-MEC7635
Metal Clip	/	BE-MC7635
Suspended Wire	/	BE-SW7635

Length	2m/6.56ft
Dimension (W*H)	76*35mm/2.96"*1.37"
Max Flex Width	55mm/2.15"
Pitch for Diffusion	120LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE



Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE60



ACCESSORIES



Metal End Cap




Metal Clip



Suspend Accessories

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP60
Opal PC Cover	PC	BE-PC60
Plastic End Cap	/	BE-PEC60
Metal Clip	/	BE-MC60
Suspended Wire	/	BE-SW60

Length	2m/6.56ft
Dimension (W*H)	60mm/2.34"
Max Flex Width	30.2mm/1.18"
Pitch for Diffusion	240LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW


PRO PROFILE SURFACE BE4290



ACCESSORIES




Metal End Cap



Metal Clip

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP4290	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC4290	Dimension (W*H)	90*42.3mm/3.51"*1.65"
Plastic End Cap	/	BE-PEC4290	Max Flex Width	32mm/1.25"
Metal Clip	/	BE-MC4290	Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE



Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE RECESSED BE2001



ACCESSORIES



Plastic End Cap



Adjustable Angle Clips




Plastic Clip



Metal Clip

TECHNICAL DRAWING



TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP2001
Opal PC Cover	PC	BE-PC2001
Plastic End Cap	/	BE-PEC2001
Metal Clip	/	BE-MC2001
Rotating Metal Clip	/	BE-RMC2001

Length	2m/6.56ft
Dimension (W*H)	30.3*9.75mm/1.19"*0.38"
Max Flex Width	20.7mm/0.81"
Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE



Ref: AERO TAPE HD



Ref: ALTA TAPE




Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE RECESSED BE9535



ACCESSORIES



Plastic End Cap




Fixed Bracket



Suspend Accessories

TECHNICAL DRAWING



TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP9535
Opal PC Cover	PC	BE-PC9535
Metal End Cap	/	BE-MEC9535
Metal Clip	/	BE-MC9535
Suspended Wire	/	BE-SW9535

Length	2m/6.56ft
Dimension (W*H)	95*35mm/3.74"*1.38"
Max Flex Width	70.7mm/2.76"
Pitch for Diffusion	120LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE




Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW


PRO PROFILE RECESSED BE2126



ACCESSORIES




Plastic End Cap



Metal Clip

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP2126	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC2126	Dimension (W*H)	21.3*25.9mm/0.83"*1.02"
Plastic End Cap	/	BE-PEC2126	Max Flex Width	12.5mm/0.50"
Metal Clip	/	BE-MC2126	Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.


Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

For IP65

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE




Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20



Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW




Ref: AERO TAPE TW

PRO PROFILE RECESSED BE2008




ACCESSORIES



Plastic End Cap




Metal Clip



Plastic Clip

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP2008	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC2008	Dimension (W*H)	30.3*20.49mm/1.18"*0.80"
Plastic End Cap	/	BE-PEC2008	Max Flex Width	20.2mm/0.79"
Metal Clip	/	BE-MC2008	Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW




Ref: AERO TAPE TW

PRO PROFILE RECESSED BE6535




ACCESSORIES



Plastic End Cap




Spring Clip



Plastic Clip

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP6535	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC6535	Dimension (W*H)	65*35mm/2.54"*1.37"
Metal End Cap	/	BE-MEC6535	Max Flex Width	40.9mm/1.60"
Spring Clip	/	BE-SC6535	Pitch for Diffusion	120LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW




Ref: AERO TAPE TW

PRO PROFILE RECESSED BE5035



ACCESSORIES




Plastic End Cap



Spring Clip

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP5035	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC5035	Dimension (W*H)	50*35mm/1.95"*1.37"
Metal End Cap	/	BE-MEC5035	Max Flex Width	25.9mm/1.01"
Spring Clip	/	BE-SC5035	Pitch for Diffusion	120LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE RECESSED BE2610



ACCESSORIES




Plastic End Cap



Metal Clip

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP1612	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC1612	Dimension (W*H)	28.6*11mm/1.14"*0.44"
Plastic End Cap	/	BE-PEC1612	Max Flex Width	12.2mm/0.49"
Metal Clip	/	BE-MC1612	Pitch for Diffusion	120LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP54

RGB / RGBW




Ref: NOVA TAPE RGB


TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW




Ref: AERO TAPE TW

PRO PROFILE RECESSED BE9135



ACCESSORIES




Plastic End Cap



Spring Clip




Suspend Accessories



Metal Clip

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP9135
Opal PC Cover	PC	BE-PC9135
Metal End Cap	/	BE-MEC9135
Metal Clip	/	BE-MC9135
Suspended Wire	/	BE-SW9135

Length	2m/6.56ft
Dimension (W*H)	91*35mm/3.55"*1.37"
Max Flex Width	55mm/2.15"
Pitch for Diffusion	120LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE



Ref: AERO TAPE HD



Ref: ALTA TAPE




Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE DRY WALL BE5615




ACCESSORIES



Plastic End Cap

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP5615
Opal PC Cover	PC	BE-PC5615
Plastic End Cap	/	BE-PEC5615


Length	2m/6.56ft
Dimension (W*H)	55.5*15mm/2.16"*0.59"
Max Flex Width	12.5mm/0.49"
Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.


Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20



Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE DRY WALL BE4615




ACCESSORIES



Plastic End Cap

TECHNICAL DRAWING



TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP4615
Opal PC Cover	PC	BE-PC4615
Plastic End Cap	/	BE-PEC4615

Length	2m/6.56ft
Dimension (W*H)	46.7*26.5mm/1.82"*1.03"
Max Flex Width	12.5mm/0.49"
Pitch for Diffusion	120LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20



Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW




Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE DRY WALL BE4128




ACCESSORIES



Plastic End Cap

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP4128
Opal PC Cover	PC	BE-PC4128
Plastic End Cap	/	BE-PEC4128

Length	2m/6.56ft
Dimension (W*H)	40.6*27.7mm/1.58"*1.08"
Max Flex Width	12.5mm/0.49"
Pitch for Diffusion	180LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.

Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE



Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20



Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW




Ref: AERO TAPE TW

PRO PROFILE DRY WALL BE7615



TECHNICAL DRAWING



ACCESSORIES



Plastic End Cap

TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP7615
Opal PC Cover	PC	BE-PC7615
Plastic End Cap	/	BE-PEC7615

Length	2m/6.56ft
Dimension (W*H)	76*15mm/2.96*0.59"
Max Flex Width	27mm/1.05"
Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65



Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54




Ref: AERO TAPE IP68



Ref: ALTA TAPE IP68


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW




Ref: AERO TAPE TW

PRO PROFILE DRY WALL BE3511




ACCESSORIES



Plastic End Cap

TECHNICAL DRAWING



TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP3511
Opal PC Cover	PC	BE-PC3511
Plastic End Cap	/	BE-PEC3511

Length	2m/6.56ft
Dimension (W*H)	35.5*11.3mm/1.38"*0.44"
Max Flex Width	12.5mm/0.49"
Pitch for Diffusion	180LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20



Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELTA TAPE RGBW




Ref: BELTA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE DRY WALL BE5917




ACCESSORIES



Plastic End Cap

TECHNICAL DRAWING



TECHNICAL DATA


Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP5917
Opal PC Cover	PC	BE-PC5917
Plastic End Cap	/	BE-PEC5917

Length	2m/6.56ft
Dimension (W*H)	59.2*16.7mm/2.31"*0.65"
Max Flex Width	12.5mm/0.49"
Pitch for Diffusion	240LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20



Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB



Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM



Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW


PRO PROFILE SURFACE BE1002




ACCESSORIES



Plastic End Cap




Metal Clip



Plastic Clip

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP1002	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC1002	Dimension (W*H)	16*16mm/0.64"*0.64"
Plastic End Cap	/	BE-PEC1002	Max Flex Width	10.8mm/0.43"
Metal Clip	/	BE-MC1002	Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S




Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP54

RGB / RGBW




Ref: NOVA TAPE RGB


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE RECESSED BE1105



ACCESSORIES




Plastic End Cap



Metal Clip

TECHNICAL DRAWING



TECHNICAL DATA

Product Options	Materials	Order Code
Aluminium Profile	AL6063-T5	BE-AP1105
Opal PC Cover	PC	BE-PC1105
Plastic End Cap	/	BE-PEC1105
Metal Clip	/	BE-MC1105

Length	2m/6.56ft
Dimension (W*H)	22*11.7mm/0.88"*0.47"
Max Flex Width	11.3mm/0.45"
Pitch for Diffusion	120LED/m


*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.

Standard is 1m/3.28ft per piece, other lengths can be customized.


Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20




Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP54

RGB / RGBW




Ref: NOVA TAPE RGB


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE1205



ACCESSORIES



Plastic End Cap



Adjustable Angle Clips




Plastic Clip



Metal Clip

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP1205	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC1205	Dimension (W*H)	17.3*7mm/0.68"*0.28"
Plastic End Cap	/	BE-PEC1205	Max Flex Width	12.5mm/0.49"
Metal Clip	/	BE-MC1205	Pitch for Diffusion	240LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20



Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW





Ref: NOVA TAPE S TW



Ref: AERO TAPE TW

PRO PROFILE SURFACE BE1612



ACCESSORIES




Plastic End Cap



Metal Clip

TECHNICAL DRAWING




TECHNICAL DATA

Product Options	Materials	Order Code		
Aluminium Profile	AL6063-T5	BE-AP1612	Length	2m/6.56ft
Opal PC Cover	PC	BE-PC1612	Dimension (W*H)	16*12.6mm/0.64"*0.50"
Plastic End Cap	/	BE-PEC1612	Max Flex Width	13mm/0.52"
Metal Clip	/	BE-MC1612	Pitch for Diffusion	180LED/m

*Please note that unless otherwise indicated, tape lights, extrusions and lenses will come separately and not assembled.
Standard is 1m/3.28ft per piece, other lengths can be customized.
Maximum: 2m/6.56ft per piece.
For IP65

LED TAPES

HIGH EFFICACY




Ref: AERO TAPE HD




Ref: AERO TAPE HD IP54


WHITE




Ref: AERO TAPE




Ref: AERO TAPE HD



Ref: ALTA TAPE



Ref: NOVA TAPE




Ref: NOVA TAPE S



Ref: AERO TAPE IP54



Ref: AERO TAPE CC IP20



Ref: AERO TAPE CC IP65




Ref: NOVA TAPE IP67



Ref: NOVA TAPE IP54


RGB / RGBW




Ref: BELA TAPE RGBW




Ref: BELA TAPE RGBWW



Ref: NOVA TAPE RGB




Ref: NOVA TAPE RGBW




Ref: NOVA TAPE RGBWW


TUNABLE WHITE / DIM TO WARM




Ref: NOVA TAPE DTW



Ref: NOVA TAPE TW



Ref: NOVA TAPE S TW



Ref: AERO TAPE TW